



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

deals with telescopic and balloon photography. We do not believe that the latter will be of great service to the surveyor, except in cases of war for the military engineer, and it may be useful for showing the culture of extensive tracts of land without commanding points in resurveying.

Beginner's Anatomy, Physiology, and Hygiene. By JOHN C. CUTTER. Philadelphia, Lippincott. 16°. 30 cents.

FROM the title of this book, and from the preface, we gather that it is intended for young pupils, for beginners, and we are therefore gratified to find that the writer proposes to employ such language as is simple and direct, and that technical and long words are, as far as possible, avoided. Throughout the text this rule has been fairly well adhered to, though when our eyes fell upon the frontispiece, we began to fear that the author had forgotten to carry out the plan which he had promised. This frontispiece represents the muscular system of the human body, and the scientific names of these muscles are given as they would be in the most advanced work on anatomy. Orbicularis palpebrarum, occipito-frontalis, sterno-cleido-mastoid, extensor carpi-radialis, and others too numerous to mention, stand out prominently in the illustration. This same criticism applies to other figures in the book, although perhaps to a less degree.

While it may be well to describe the effects of alcohol and tobacco in such a work as this (and of course, to meet the demand for which this and so many other books of this kind have been recently written, this must be done), we question whether it is wise to speak of the effects of chloral. The writer says of it, that, "when used for some time, it may cause heart-trouble. It lessens the heart's power. It makes its action irregular. It sometimes, in a small dose, causes death by suddenly stopping the heart's action." In another portion of the book he says that in proper doses it induces rest and sleep. This kind of talk should, in our judgment, be omitted from a book written especially for beginners. The phraseology of some parts of the book is open to unfavorable criticism. In speaking of deformities of bones of children and youth, the author says that corsets and snug-fitting shoes ought not to be worn by the young, the inference from which statement would seem to be that these articles may be worn by the adult; and yet in another place he says, "Do not wear close-fitting chest and waist garments. Corsets and tight vests compress the lower ribs. They press the digestive organs out of place. They hinder deep and proper breathing."

Another inconsistency we observe in the following statements: "Cheese is a rich and hearty food, suitable for hard workers." "A food which disagrees with a person ought to be avoided. As a rule, pastry, cheese, fresh white bread, and 'made dishes,' most often cause discomfort." Dr. Cutter is opposed to candies for children. He says that common pure candies contain not only cane-sugar, but materials which are difficult to digest. Candies "should be denied children." We think the doctor goes a little too far in thus absolutely prohibiting the use of candies. There is no doubt that they are abused, and that it would be far better not to use them at all than to continue their excessive use; but at proper times, and in proper quantities, we do not think that good candies are so pernicious as he would have us believe.

The author incorporates in his book what he calls "simple directions for the management of a few common emergent cases," which, from the references already made, we infer are intended as a guide to the young pupil, the beginner. Under the heading 'Management of a Poison Case,' he says, "If it is an irritant poison (like verdigris, corrosive sublimate, etc.), give rapidly-beaten-up eggs. If it is an opium compound, give strong coffee, and keep the patient awake. If it is a vegetable narcotic (henbane, belladonna), keep him quiet. Always summon the ablest doctor to manage the case." It would, we imagine, be a sufficiently difficult task, especially for a young pupil, to determine whether the poison taken was an irritant, an opium compound, or a vegetable narcotic; but to decide who is the 'ablest' doctor, *hic labor, hoc opus est*.

While there is much in this book to criticise, there are also many things to commend. The general arrangement is good, and the figures are fairly illustrative of the text. There is one feature which is especially noteworthy, and should be reproduced by writers of

other text-books of this kind. We refer to the instructions to teachers for the demonstration to classes of the principles of physiology; as, for instance, the demonstration of the movements of the blood in a frog under the microscope, and the changes which take place in the size of the human chest during inspiration and expiration; and the impoverishment of the air during respiration. This method has been admirably worked out by Professor Martin of Johns Hopkins University, in his text-books; and we are glad to see that Dr. Cutter has embodied the same plan in his book.

Taken as a whole, 'The Beginner's Anatomy, Physiology, and Hygiene,' is neither better nor worse than many other books of the same class, scores of which have lately issued from the press in response to the demand for physiologies which should teach the effects of alcohol and narcotics.

A Treatise on Algebra. By CHARLES SMITH, M.A. New York, Macmillan. 8°. \$1.90.

THIS work is the latest put forth by the English press, which is just now very prolific in algebras.

The present work is intended for students who already have some knowledge of elementary algebra. For this reason the opening chapters, while complete, are nevertheless brief.

These chapters differ but little from those of the text-books in common use. Stress is laid, however, on the idea that algebra is simply the science of numbers; and the commutative, associative, distributive, and index laws are well illustrated.

Some theorems are introduced much earlier than usual. Thus, detached co-efficients are introduced in the chapter on multiplication, and the theorems on the divisibility of rational integral expressions in the chapter on factoring. In this last chapter, also, the quadratic expression ax^2+bx+c is resolved into its linear factors; and this method of resolving into factors is adopted for the solution of all quadratic equations.

Chapter IX. treats of equations with one unknown,—simple, quadratic, binomial, and reciprocal,—and contains so much, that it is decidedly confused, and the weakest chapter of the book. Here, also, the author fails to explain the terms 'infinite' and 'infinity' in a satisfactory manner.

Chapter XII. is on symbolic algebra, and contains seventy excellent examples.

Imaginarities are treated by modern methods. In the definition of 'arithmetical progression,' the customary *lapsus calami* is made. Choice should be illustrated with more examples. Series are fully and clearly treated. The binomial theorem is proved by a modification of Euler's proof, based on the introduction of Vandermonde's theorem. Euler's own proof is also given. Logarithms are considered without any thing being said about the proof of the index law for incommensurable exponents, the almost universal omission.

The definition of 'probability' is the usual faulty one given by Todhunter and others. This chapter is not clear, and is too short.

The chapter on determinants is based on the well-known works of Muir and Dostor, and is by far the best short treatment of determinants with which we are acquainted in any language. This chapter contains all the essential parts of the subject, and we recommend it to every one who desires a brief but comprehensive knowledge of these famous expressions.

On the whole, the book much resembles that of Mr. Todhunter. In form Mr. Smith has improved on the latter's work; but in fundamental ideas,—ideas which go down to the root of mathematical reasoning,—and in definitions, Mr. Smith's work is but little, if any, superior to Mr. Todhunter's. The book is simply an excellent text-book of high grade, its most distinctive feature being the chapter on determinants.

Eighteenth Annual Report of the Massachusetts Bureau of Statistics of Labor. Boston, State. 8°.

CARROLL D. WRIGHT'S Massachusetts report for 1887 deals very exhaustively with a single subject,—the unemployed. The figures taken are those of the State census of 1885, and show a wide distribution of the unemployed as a whole, because the industries of the State were in a more or less depressed condition. The investigation comprehended "all remunerative occupations, of whatever

description, and included all persons of any age who were earning their living: that is to say, all persons engaged in the government service, whether national, state, city, town, or county; all professional people; all persons engaged in domestic and personal service, with the exception of housewives and those who assisted in the housework at home only, and for which they received no stated compensation; all persons engaged in the various branches of trade, in transportation, agriculture, the fisheries, manufactures, and mining; day-laborers; apprentices, and those who for various reasons were unemployed for the entire year; the unemployment being properly classified as regards each occupation in presenting results." The chief purpose of the inquiry was to ascertain, so far as possible, first the depression, if any, in particular trades or industries; and, second, the extent of unemployment generally, without regard to the particular kind of work performed during the twelve months preceding the taking of the census.

The main results, as shown in Mr. Wright's summary, are as follows: the whole number of persons, of both sexes, who were unemployed at their principal occupation during some part of the year represented by the twelve months which preceded the census enumeration of population, May 1, 1885, was 241,589. Of this number, 178,628 were males, and 62,961 were females. As compared with the total population of the State, this shows that for every 8.04 persons there was one person unemployed for some part of the year at his principal occupation; and as regards sex, that there was for every 5.22 males one male unemployed, and for every 16.03 females one female unemployed, at principal occupation during some portion of the time covered by the investigation. By 'unemployed' is meant, of course, unemployed at their principal occupation *during some part* of the twelve months preceding May 1, 1885. As a matter of fact, only 822 persons, less than one-third of one per cent, were unemployed during the entire twelve months. Of the unemployed, 73.94 per cent were males, and 26.06 per cent females. Of the 822 unemployed during the entire year preceding May 1, 1885, 91.61 per cent were males, and 8.39 per cent females. More than 50 per cent of unemployed were from twenty to thirty-nine years of age. Perhaps the pith of the report is given on p. 266, where it is said, "A little less than one-third of the persons returned as being engaged in remunerative labor were unemployed for about one-third of their working time; while, on the other hand, the working population of the State, considered in its entirety, were employed at their principal occupation for a little less than eleven months during the census year." The results of the investigation would seem to indicate, Mr. Wright points out, that all the products of manufactures could have been secured by steady work for 307 working-days, of 9.04 hours each, if this steady work could have been distributed equally among all the persons engaged in manufactures; while all the remunerative work of the State, of whatever kind, if it could have been distributed equally among the entire working population, could have been accomplished in 307 working-days, averaging 8.99 hours per day.

The report is extremely valuable, and one more evidence that Colonel Wright is the right man, in the right place.

Manual for Instruction in Domestic Science. New York, Industrial Education Association, 1888.

THE prefatory note of this little volume states that it is a manual "drawn up for the use of the students of the College for the Training of Teachers, and for such teachers as adopt the method of instruction followed at the college by Miss Julia H. Oakley, professor of domestic economy there. It is not intended to be complete or exhaustive. Its aim is to give the outline of a carefully developed course of instruction in cooking, which shall have an educational rather than a technical value, and to furnish notes for the conduct of the same." All persons who are watching the manual-training movement will admit at once that this manual, and others like it for sewing, industrial art, and wood-working, are absolutely necessary, if crude and empirical methods are to be kept out of the schools. They are as essential as good text-books in arithmetic and grammar. This manual is simple and clear, and will be of great assistance to teachers. For each lesson an outline is given, and the principles it illustrates carefully developed, before the recipe for its practical illustration is stated. This prevents mere imitation,

and makes the practical work of the domestic science course rational and educational. The manual will doubtless be widely used, and its influence will be wholly for good.

Mechanics of Materials. By IRVING P. CHURCH. New York, Wiley. 8°. \$3.

THE modern tendency in writing text-books upon the relation of forces, and their resistances as manifested upon and in the materials employed in engineering, appears to be toward a clearer stratification of the various departments of that branch of science.

Dynamics and statics have long been clearly defined, but there are many books at this moment before the eyes of students, in which the science of statics and the properties of materials are too promiscuously treated to leave a clear impression except upon the initiated. The result is, that the average student has but a vague idea of what he has been studying, and of its relation to other branches of science.

Professor Church's plan of treatment is a threefold division into dynamics, statics, and, to quote his own words, "mechanics of materials: a treatise on the elasticity and strength of beams, columns, arches, etc., for students of engineering." The latter title is that of his latest work, now under discussion. It is a book of 320 pages, and might properly be called a treatise upon molecular mechanics, being a discussion of the laws of resistance to externally applied forces of the molecular fibres of materials when used in various forms.

The treatment of the subject is independent of the kind of material — steel, iron, wood, etc. — so far as the development of the formula is concerned, as they are based upon certain mechanical assumptions, that are independent of the nature of the material.

That phase of the subject which will perhaps never submit to pure mathematical analysis — the properties of materials, the behavior of various kinds of materials under stress, the laws of fatigue, proper working-stresses, etc. — is very properly passed over with an occasional allusion, and such tables of values as may be necessary to solve the problems dispersed through the book.

In this connection it may be said that a table in which the average ultimate tensile strength of soft steel is given at 80,000 pounds, and of wrought iron at 60,000 pounds, without further explanation, is calculated to give the student an erroneous impression of the latest practice, in which even 55,000-pound steel has been recommended for bridge-work, and 80,000-pound steel is considered a high grade to use.

Again: an allusion to Wöhler's law of fatigue of materials as a recent discovery seems a misleading expression to apply to investigations made twenty years or more ago. But it is far easier to criticise minor points than it is to improve on the main features of Professor Church's work, an investigation of which discloses the following plan: —

The first chapter discusses the theory of stress and strain; and by mathematical investigation, of the action upon an assumed form of elements of the mass, the nature and relation of direct tension or compression, and shear, to each other, are clearly defined. The modulus of elasticity is explained; and, in short, all the fundamental principles of stress and strain in the abstract are shown in their true relations.

Chapters II.-V. inclusive, occupying about one-third of the book, relate to torsion and to flexure of beams.

The generally employed theories of Xavier have been used instead of a more intricate mathematical analysis, and a specially clear statement is made of the assumption upon which the formulæ for beams are based. Column formulæ are treated in the twenty-three pages comprising Chapter VI. The usual presentation of Euler's, Hodgkinson's, and Gordon's theoretical formulæ occurs, and some allusion is made to modifications in practice.

Consistency, perhaps, prevented Professor Church from giving what students much need, — a clear statement of what our engineers are actually doing in practice with the designing of columns, and the fact that certain simple formulæ derived from experiment seem to agree with actual tests fully as well as, if not better than, those mentioned.

Chapters VII.-XI. inclusive, taking about one-third of the space, treat of arches mainly by the use of the moment polygon. The in-